

SAFETY DATA SHEET

Creation Date 09-Apr-2010 Revision Date 01-Oct-2025 Revision Number 13

1. Identification

Product Name Tetramethylammonium hydroxide, 25% in water

Cat No.: AC420520000; AC420520010; AC420520050; AC420520250;

AC420521000

Synonyms N,N,N-Trimethylmethanaminium hydroxide.

Recommended UseLaboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute dermal toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Target Organs - Central nervous system (CNS), Respiratory system.

Specific target organ toxicity - (repeated exposure)

Category 1

Target Organs - Thymus.

Label Elements

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage May cause respiratory irritation

Causes damage to organs

Causes damage to organs through prolonged or repeated exposure

Fatal if swallowed or in contact with skin



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

3. Composition/information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	75
Tetramethylammonium hydroxide	75-59-2	25

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In **Eye Contact** the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO₂). Dry chemical. Chemical foam. CO₂, dry chemical, dry sand,

alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point > 95 °C / > 203 °F

Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO₂). Ammonia. Amines. Thermal decomposition can lead to release of irritating gases and vapors. Methanol.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards310N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. **Up**

7. Handling and Storage

Handling Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face

protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not

ingest. If swallowed then seek immediate medical assistance.

Storage. Corrosives area. To maintain product quality Store under an inert atmosphere. Keep

containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Incompatible Materials. Strong oxidizing agents. Strong acids. Metals. Carbon

dioxide (CO2).

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limits established by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure. Impervious

clothing. Chemical resistant apron. Boots. Impervious gloves.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

@ 760 mmHa

Recommended Filter type: Organic gases and vapours filter. Type A. Brown. conforming to EN14387.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid

Appearance Yellow Odor Ammonia-like

Odor Threshold No information available

pH > 13

Melting Point/Range -25 °C / -13 °F
Softening Point No data available
Boiling Point/Range 102 °C / 215.6 °F
Flash Point > 95 °C / > 203 °F

Flash Point > 95 °C / > 203 °F Method - No information available
Flammability (liquid) No data available
Flammability (solid,gas) Not applicable Liquid

Flammability (solid,gas)

Explosion Limits

Not applicable

No data available

Autoignition Temperature No data available Decomposition Temperature No data available

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Tetramethylammonium hydroxide -1.4

Vapor Pressure 16 mmHg (25°C)

Density / Specific Gravity 1.014

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Viscosity 3.13 cP (19°C)
Particle characteristics Not applicable (liquid)

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Air sensitive. Absorbs carbon dioxide from the air.

Conditions to Avoid Temperatures above 100°C. Exposure to air. Absorbs carbon dioxide from the air.

Incompatible products.

Incompatible Materials Strong oxidizing agents, Strong acids, Metals, Carbon dioxide (CO2)

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), Ammonia, Amines,

Thermal decomposition can lead to release of irritating gases and vapors, Methanol

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Information on expected route of exposure

InhalationNot an expected route of exposure.IngestionMay be harmful if swallowed.

Eyes Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness.

Skin Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. Harmful in contact with

skin.

Acute Toxicity

Product Information

Oral LD50 Category 3. ATE = 50 - 300 mg/kg. Category 2. ATE = 5 - 50 mg/kg.

Dermal LD50 Category 4. ATE = 1000 - 2000 mg/kg. Category 1. ATE < 50 mg/kg.

Vapor LC50 Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Water	-	-	-	
Tetramethylammonium hydroxide	LD50 34 - 50 mg/kg (Rat)	25-50 mg/kg(Rabbit)	Not listed	

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component CAS	lo IARC	NTP	ACGIH	OSHA	Mexico
---------------	---------	-----	-------	------	--------

| Water | 7732-18-5 | Not listed |
|-------------------------------|-----------|------------|------------|------------|------------|------------|
| Tetramethylammonium hydroxide | 75-59-2 | Not listed |

Mutagenic Effects Not mutagenic in AMES Test

Reproductive Effects No information available. **Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure Central nervous system (CNS) Respiratory system

STOT - repeated exposure **Thymus**

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Soluble in water Persistence is unlikely based on information available. Persistence and Degradability

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Tetramethylammonium hydroxide	-1.4

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1835

Proper Shipping Name TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION

Hazard Class Packing Group Ш

TDG

UN-No UN1835

Proper Shipping Name TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION

Hazard Class 8 **Packing Group** Ш

IATA

UN-No UN1835

Proper Shipping Name TETRAMETHYLAMMONIUM HYDROXIDE, SOLUTION

Hazard Class Packing Group Ш

IMDG/IMO

UN-No UN1835

Proper Shipping Name TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION

Hazard Class 8
Packing Group | |

15. Regulatory Information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	X	ACTIVE	-
Tetramethylammonium hydroxide	75-59-2	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

oubotanoos a mixtanoo, ondor 10071 oo

Not applicable

International Inventories

TSCA 12(b) - Notices of Export

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Χ	-	231-791-2	Х	Χ		Х	Χ	KE-35400
Tetramethylammonium hydroxide	75-59-2	Χ	-	200-882-9	Χ	Χ	Χ	Χ	Х	KE-33550

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Not applicable

Health Administration

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Tetramethylammonium	-	X	-	-	-
hydroxide					

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	=
Tetramethylammonium hydroxide	75-59-2	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Tetramethylammonium hydroxide	75-59-2	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Tetramethylammonium hydroxide	75-59-2	Not applicable	Not applicable	Not applicable	Not applicable

16. Other Information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 09-Apr-2010

 Revision Date
 01-Oct-2025

 Print Date
 01-Oct-2025

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS